

Laboratory Study

TTII Nature's Infill

Report Number: 96544/8088-8089

Report Status: Final

Client: Target Technologies International Inc.

8535 Eastlake Dr

Burnaby, BC V5A 4T7















UNITED STATES

50 Business Depot Drive Ringgold, Georgia 30736 Phone: +1 706 406 2070

Email: support@sportslabs.com Web: www.sportslabs.com

REGIONAL LOCATIONS

-Seattle, Washington

-Columbia, Missouri

-Dallas, Texas

-Los Angeles, California

-Montreal, Quebec









Foreword

This report has been prepared by Sports Labs with all reasonable skill, care, and diligence within the terms of the contract with the Client and within the limitations of the resources devoted to it.

This report is confidential to the Client, and Sports Labs accepts no responsibility whatsoever to third parties to whom this report, or any part thereof, is made known. Any such party relies upon the report at their own risk.

Report Written By: Gustavo Munoz		Report Checked By:		Kieran O'Donnell		
Date: 12/13/2024		Date:		12/13/2024		
Signed:	Ow.		Signed: Kieray O'Dowell.			
Test Laboratory						
Test Laboratory Name	e: Sports l	Sports Labs				
Address: 50 Business Depot Drive						
City & ZIP Code: Ringgold 30736						
State or Province: Georgia						
Country:	United	United States of America				
Telephone:	lephone: +1 (706) 406-2070					
Email:	kieran@sportslabs.com					

Test Method:

• FIFA 14: Procedure for the determination of heat on artificial turf products

3D3 2" 52 oz 18"x18" Dry and Wet Samples were Tested:

• 1 lb. TTII Nature's Infill

Note: The wet sample was treated with 64 oz. of water using a pump sprayer.

Category	Temperature Range [°F]	System Category
1	<122	
1→2	122→130	
2	131→139	
2→3	140→149	
3	>149	



	Heat Test				
	Dry	Wet			
	3D3 2" 52oz. 18" x 18" Sample, Dry.	3D3 2" 52oz. with 64oz. of water on a 18" x 18" Sample			
Elapsed Time [min]	4 Lbs. Sand & 1 Lb. TTII Nature's Infill T3 [°F]	4 Lbs. Sand & 1 Lb. TTII Nature's Infill T3 [°F]			
0	80.4	70.3			
5	97.9	81.9			
10	105.6	85.6			
15	110.8	87.6			
20	114.3	88.9			
30	118.6	91.2			
40	121.1	93			
50	123.3	94.5			
60	124.5	95.4			
75	126.9	96.6			
90	128.1	97.7			
105	129.4	97.9			
120	130.3	99			
135	132.1	99.9			
150	132.4	99.7			
165	132.4	100.8			
180	133	100.2			
Category:	2	1			

END OF REPORT